

L Number	Hits	Search Text	DB	Time stamp
11	0	725/55,58,131-133, 139-143.ccls. and ((EPG or IPG or (program near2 (guide or list\$5 or schedul\$3 or data or menu)))) near10 (record\$3) and (@ad<=20000330 or @rlad<=20000330)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/15 17:22
12	0	725/55,58,131-133, 139-143.ccls. and ((reserv\$5 or select\$3) near3 record\$3) and (@ad<=20000330 or @rlad<=20000330)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/15 17:26
13	0	725/55,58,131-133, 139-143.ccls. and ((reserv\$5 or select\$3) with record\$3) and (@ad<=20000330 or @rlad<=20000330)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/15 17:26
14	333	725/55,58,131-133,139-143.ccls. and ((reserv\$5 or select\$3) with record\$3) and (@ad<=20000330 or @rlad<=20000330)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/15 17:26
15	276	725/55,58,131-133,139-143.ccls. and ((reserv\$5 or select\$3) near5 record\$3) and (@ad<=20000330 or @rlad<=20000330)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/15 17:27
16	282	725/55,58,131-133,139-143.ccls. and ((reserv\$5 or select\$3) near5 record\$3) and (@ad<=20000809 or @rlad<=20000809)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/15 17:27
17	56	725/55,58,131-133,139-143.ccls. and ((reserv\$5) near5 record\$3) and (@ad<=20000809 or @rlad<=20000809)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/15 17:27
-	72	(token\$1 same server\$1)and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/05 19:49
-	3	(token\$1 same server\$1)and 725/51.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/05 19:51
-	45	((token\$1 same server\$1)and 725/\$.ccls.) and (@ad<=20000809 or @rlad<=20000809)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/14 17:04
-	0	(token\$1 same server\$1)same (mail or message\$1 or e\$1mail) and 725/51.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/05 19:51
-	844	(token\$1 same server\$1)same (mail or message\$1 or e\$1mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/05 19:52
-	45	((token\$1 same server\$1)and 725/\$.ccls.) and (@ad<=20000809 or @rlad<=20000809)) and (@ad<=20000809 or @rlad<=20000809)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/05 19:52
-	504	((token\$1 same server\$1)same (mail or message\$1 or e\$1mail)) and (@ad<=20000809 or @rlad<=20000809)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/05 19:52
-	22	((token\$1 same server\$1)same (mail or message\$1 or e\$1mail)) and (@ad<=20000809 or @rlad<=20000809)) and (725/\$.ccls. or 345/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/05 19:53

-	1789	(token same record\$3) and (@ad<=20000809 or @rlad<=20000809)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:37
-	163	(token same record\$3 same server) and (@ad<=20000809 or @rlad<=20000809)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:37
-	224	(token same record\$3 same server) and (@ad<=20000809 or @rlad<=20000809)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 16:16
-	4	((token same record\$3 same server) and (@ad<=20000809 or @rlad<=20000809)) and (725/\$.ccls. or 386/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:38
-	271	(token same (record\$3 near10 control\$4)) and (@ad<=20000809 or @rlad<=20000809)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:45
-	170	(token with (record\$3 near10 control\$4)) and (@ad<=20000809 or @rlad<=20000809)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:46
-	50	(token with (record\$3 near10 control\$4))same (server\$1 or provider or headend or CO) and (@ad<=20000809 or @rlad<=20000809)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:51
-	111	((token\$1 or key\$1) with (record\$3 near10 control\$4))same (server\$1 or provider\$1 or headend or CO) and (@ad<=20000809 or @rlad<=20000809)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 15:52
-	61	((token\$1 or key\$1) with (record\$3 near10 control\$4))same (server\$1 or provider\$1 or headend or CO) and (@ad<=20000809 or @rlad<=20000809) not ((token with (record\$3 near10 control\$4))same (server\$1 or provider or headend or CO) and (@ad<=20000809 or @rlad<=20000809))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 16:15
-	82	extract\$3 with key with descramble\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 16:16
-	56	(extract\$3 with key with descramble\$3) and (@ad<=20000809 or @rlad<=20000809)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 16:16
-	0	"United video properties".as. and (reserve near3 record\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 19:24
-	0	"United video properties".as. and (reserv\$6 near3 record\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 19:24
-	130	"United video properties".as. and record\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 19:24

-	106	("United video properties".as. and record\$4) and (@ad<=20000330 or @rlad<=20000330)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/13 11:56
-	18	("United video properties".as. and record\$4) and (@ad<=20000330 or @rlad<=20000330)and Hassell.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/13 16:26
-	1	Hendricks.in. and (record\$3 with reserve\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/13 12:45
-	140	Hendricks.in. and (record\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/13 12:45
-	0	Hendricks.in. and (record\$3 with delete\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/13 12:46
-	0	Hendricks.in. and (record\$3 with cancel\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/13 12:46
-	26	Hendricks.in. and (record\$3 with program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/13 12:46
-	50	("United video properties".as. and record\$4) and (@ad<=20000330 or @rlad<=20000330)and Ellis.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/13 16:26
-	11	("United video properties".as. and record\$4) and (@ad<=20000330 or @rlad<=20000330)and Ellis.in.	EPO; DERWENT	2004/07/14 15:16
-	285	(updat\$4 near7 (EPG or IPG or (program near2 (guide or list\$5 or schedul\$3 or data or menu)))) and (@ad<=20000330 or @rlad<=20000330)	EPO; DERWENT	2004/07/14 15:18
-	265	(updat\$4 near5 (EPG or IPG or (program near2 (guide or list\$5 or schedul\$3 or data or menu)))) and (@ad<=20000330 or @rlad<=20000330)	EPO; DERWENT	2004/07/14 15:18
-	219	(updat\$4 near3 (EPG or IPG or (program near2 (guide or list\$5 or schedul\$3 or data or menu)))) and (@ad<=20000330 or @rlad<=20000330)	EPO; DERWENT	2004/07/14 15:57
-	21	(updat\$4 near3 (EPG or IPG or (program near2 (guide or list\$5 or schedul\$3 or data or menu))))same (record\$3) and (@ad<=20000330 or @rlad<=20000330)	EPO; DERWENT	2004/07/14 16:00
-	215	(updat\$4 near3 (EPG or IPG or (program near2 (guide or list\$5 or schedul\$3 or data or menu))))same (record\$3) and (@ad<=20000330 or @rlad<=20000330)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/14 16:00
-	85	(updat\$4 near3 (EPG or IPG or (program near2 (guide or list\$5 or schedul\$3 or data or menu)))) near10 (record\$3) and (@ad<=20000330 or @rlad<=20000330)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/14 16:48
-	178	((translat\$3 or format\$3 or convert\$3) near3 (EPG or IPG or (program near2 (guide or list\$5 or schedul\$3 or data or menu)))) near10 (record\$3) and (@ad<=20000330 or @rlad<=20000330)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/14 16:49

-	72	((translat\$3 or convert\$3) near3 (EPG or IPG or (program near2 (guide or list\$5 or schedul\$3 or data or menu)))) near10 (record\$3) and (@ad<=20000330 or @rlad<=20000330)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/14 21:12
-	91	Sahai.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/14 17:03
-	6	Sahai.in. and capability and (@ad<=20000809 or @rlad<=20000809)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/14 18:17
-	0	hypertext.ti. and bui.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/14 18:18
-	2	(hypertext with 'program guide') and bui.xa.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/14 18:21
-	23760	Miller.xa. and web and server or movie	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/14 18:21
-	468	Miller.xa. and web and server or movie and advertise\$3 and 725/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/14 18:22
-	23	Miller.xa. and web and server or movie and advertise\$3 and 725/\$.ccls. and (optional near2 computer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/14 18:25
-	1	Tanigawa.in. and EPG1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/14 18:26
-	2	Tanigawa.in. and EPG	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/14 18:27
-	2	EPG1 and EPG2 and EPG3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/14 18:27
-	2	shoff.in. and EPG near2 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/14 21:12
-	0	Mcneill.in. and 'low near2 bit'	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/14 18:30
-	87	Mcneill.in. and compress\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/14 18:30

-	1	Mcneill.in. and compress\$3 and encoder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/14 18:30
-	3637	386/1,46.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/14 21:12
-	1	386/1,46.ccls. and ((translat\$3 or convert\$3) near3 (EPG or IPG or (program near2 (guide or list\$5 or schedul\$3 or data or menu)))) near10 (record\$3) and (@ad<=20000330 or @rlad<=20000330)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/14 21:13
-	146	386/1,46.ccls. and ((EPG or IPG or (program near2 (guide or list\$5 or schedul\$3 or data or menu)))) near10 (record\$3) and (@ad<=20000330 or @rlad<=20000330)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/14 21:14
-	789	725/50,51,55,58,141,142.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/14 21:13
-	5	725/50,51,55,58,141,142.ccls. and ((translat\$3 or convert\$3) near3 (EPG or IPG or (program near2 (guide or list\$5 or schedul\$3 or data or menu)))) near10 (record\$3) and (@ad<=20000330 or @rlad<=20000330)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/14 21:14
-	6	725/50,51,55,58,141,142.ccls. and ((translat\$3 or convert\$3) with (EPG or IPG or (program near2 (guide or list\$5 or schedul\$3 or data or menu)))) near10 (record\$3) and (@ad<=20000330 or @rlad<=20000330)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/14 21:14
-	7	725/50,51,55,58,141,142.ccls. and ((translat\$3 or convert\$3) same (EPG or IPG or (program near2 (guide or list\$5 or schedul\$3 or data or menu)))) near10 (record\$3) and (@ad<=20000330 or @rlad<=20000330)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/14 21:14
-	163	725/50,51,55,58,141,142.ccls. and ((EPG or IPG or (program near2 (guide or list\$5 or schedul\$3 or data or menu)))) near10 (record\$3) and (@ad<=20000330 or @rlad<=20000330)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/07/15 17:21